

EOS © Exit Sign

ABN 12629158069



FEATURES:

- ✓ **Sizes** 24M, 32M, 40M
- ✓ **Fully Compliant** to Australian Codes
- ✓ **Environmentally Safe & Sustainable**
- ✓ **Ideal for Industrial and Commercial**
- ✓ **Simple & Effective**

CONTACT

A Level 5/15 Queen St
Melbourne VIC 3000

P +61 (3) 7004 7500
1300 244 569

E support@safetypath.com

W www.safetypath.com

PL EXIT SIGN REQUIREMENTS

EOS Exit Signs are available as PL only. A minimum of 100 Lux is required at the face of the PL only exit sign.

NCC COMPLIANCE

Safety Path PL Exit Signs are designed in accordance and compliant with Building Code of Australia, NCC Specification E4.8.

All relevant documentation shall be made available upon request.

MAINTENANCE

The following maintenance (inspection) regime for PL exit signs may be undertaken by any competent person.

Six Monthly:

- ✓ Survey to ensure signs are in place, legible, not obstructed and shall be cleaned as necessary.
- ✓ Survey to ensure the general building light sources are operational and have had no unauthorised alterations.

Three Yearly:

- ✓ Test to ensure signs receive the minimum illumination requirement from the general building light sources.
- ✓ The illumination at the face of the sign should be checked with an illuminance meter.



Diagram: Based on 24m EOS Exit Sign

SPECIFICATIONS

Voltage	-
Connection	-
Power	-
IP Rating	IP40
Dimensions	24m - 421mm x 261mm x 18mm 32m - 561mm x 336mm x 18mm 40m - 701mm x 411mm x 18mm
Material	Core - PVC/polycarbonate Outer - PETG
Pictorials	1 x Left 1 x Right 2 x Neutrals
Warranty	20 Years
Compliance	NCC Specification E4.8 AS2293.1 (Relevant PL Clauses) AS3000 (cl 1.9.32)
Colour	White Black
Viewing Distance	24m, 32m, 40m
Mounting Type	Ceiling Mount (Recessed Mount) Ceiling Mount (Surface Mount) Wall Mount Suspended
Weight	24m - 1.5kgs 32m - 2.75kgs 40m - 4kgs

PRODUCT RANGE



Eos Exit Sign

Colour Option: Black

Code	Description	Direction
EO24SSBP	24m SINGLE SIDED	Single Sided - Directional pictorials incl.
EO24DSBP	24m DOUBLE SIDED	Double Sided - Directional pictorials incl.
EO32SSBP	32m SINGLE SIDED	Single Sided - Directional pictorials incl.
EO32DSBP	32m DOUBLE SIDED	Double Sided - Directional pictorials incl.
EO40SSBP	40m SINGLE SIDED	Single Sided - Directional pictorials incl.
EO40DSBP	40m DOUBLE SIDED	Double Sided - Directional pictorials incl.

Eos Exit Sign

Colour Option: White


Code	Description	Direction
EO24SSWP	24m SINGLE SIDED	Single Sided - Directional pictorials incl.
EO24DSWP	24m DOUBLE SIDED	Double Sided - Directional pictorials incl.
EO32SSWP	32m SINGLE SIDED	Single Sided - Directional pictorials incl.
EO32DSWP	32m DOUBLE SIDED	Double Sided - Directional pictorials incl.
EO40SSWP	40m SINGLE SIDED	Single Sided - Directional pictorials incl.
EO40DSWP	40m DOUBLE SIDED	Double Sided - Directional pictorials incl.

MOUNTING OPTIONS


Suspended



Ceiling Mounted
(Recessed & Surface)



Wall Mounted



Fixing to surface screws not included.

